

••FILE••ID••TFDRIVER

TTTTTTTTTT1 FFFFFFFFFF DDDDDDDD RRRRRRRR IIIIII VV VV EEEEEEEEEE RRRRRRRR
TTTTTTTTTT2 FFFFFFFFFF DDDDDDDD RRRRRRRR IIIIII VV VV EEEEEEEEEE RRRRRRRR
TT FF DD DD RR RR III VV VV EE RR RR
TT FF DD DD RR RR III VV VV EE RR RR
TT FF DD DD RR RR III VV VV EE RR RR
TT FF DD DD RR RR III VV VV EE RR RR
TT FFFFFFFFFFFF DD DD RRRRRRRR III VV VV EEEEEEEEEE RRRRRRRR
TT FFFFFFFFFFFF DD DD RRRRRRRR III VV VV EEEEEEEEEE RRRRRRRR
TT FF DD DD RR RR III VV VV EE RR RR
TT FF DD DD RR RR III VV VV EE RR RR
TT FF DD DD RR RR III VV VV EE RR RR
TT FF DD DD RR RR III VV VV EE RR RR
TT FF DDDDDDDDDD RR RR III VV VV EEEEEEEEEE RRRRRRRR
TT FF DDDDDDDDDD RR RR III VV VV EEEEEEEEEE RRRRRRRR

| | | | |
|------|------|---------|---------|
| MM | MM | AAAAAA | PPPPPPP |
| MM | MM | AAAAAA | PPPPPPP |
| MMMM | MMMM | AA | PP |
| MMMM | MMMM | AA | PP |
| MM | MM | AA | PP |
| MM | MM | AA | PP |
| MM | MM | AA | PP |
| MM | MM | AA | PP |
| MM | MM | AA | PP |
| MM | MM | AA | PP |
| MM | MM | AAAAAAA | PP |
| MM | MM | AAAAAAA | PP |
| MM | MM | AA | PP |
| MM | MM | AA | PP |
| MM | MM | AA | PP |
| MM | MM | AA | PP |

! Object Module Synopsis !

| Module Name | Ident | Bytes | File | Creation Date | Creator |
|-------------|---------|-------|---------------------------------------|-------------------|----------------------|
| TFDRIVER | V04-000 | 6796 | \$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1 | 16-SEP-1984 00:08 | VAX/VMS Macro V04-00 |
| SYS | V04-000 | 0 | \$255\$DUA28:[SYSOBJ]SYS.STB;1 | 16-SEP-1984 04:00 | VAX-11 Linker V04-00 |
| SYSSIODEF | V04-000 | 0 | \$255\$DUA28:[SYSLIB]STARLET.OLB;2 | 16-SEP-1984 00:18 | VAX/VMS Macro V04-00 |
| SYSSSDEF | V04-000 | 0 | \$255\$DUA28:[SYSLIB]STARLET.OLB;2 | 16-SEP-1984 01:18 | VAX/VMS Macro V04-00 |

+-----+
! Image Section Synopsis !
+-----+

| Cluster | Type | Pages | Base Addr | Disk | VBN | PFC | Protection and Paging | Global Sec. | Sec. Name | Match | Majorid | Minorid |
|-----------------|------|-------|-----------|------|-----|------|-----------------------|-------------|-----------|-------|---------|---------|
| DEFAULT_CLUSTER | 2 | 14 | 00000000 | 2 | 0 | READ | WRITE | COPY ON REF | | | | |

Key for special characters above:

+-----+
| R - Relocatable |
| P - Protected |
+-----+

+-----+
! Program Section Synopsis !
+-----+

| Psect Name | Module Name | Base | End | Length | Align | Attributes |
|--------------------|-------------|----------|----------|------------|--------|--------------------------------------------------------|
| \$\$\$105_PROLOGUE | TFDRIVER | 00000000 | 0000007F | 00000080 (| 128.) | BYTE 0 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 00000000 | 0000007F | 00000080 (| 128.) | BYTE 0 |
| \$\$\$115_DRIVER | TFDRIVER | 00000080 | 00001ABB | 00001A0C (| 6668.) | LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC |
| | | 00000080 | 00001ABB | 00001A0C (| 6668.) | LONG 2 |

-----+
! Symbol Cross Reference !
-----+

| Symbol | Value | Defined By | Referenced By ... |
|-----------------|------------|-------------|-------------------|
| ACPS\$ACCESS | 80008B24 | SYS | TFDRIVER |
| ACPSDEACCESS | 80008B55 | SYS | TFDRIVER |
| ACPSMODIFY | 80008BAB | SYS | TFDRIVER |
| ACPSMOUNT | 80008BB3 | SYS | TFDRIVER |
| ACPSREADBLK | 80008BD2 | SYS | TFDRIVER |
| ACPSWRITEBLK | 80008C11 | SYS | TFDRIVER |
| ATS_MBA | 00000000 | SYSS\$IODEF | TFDRIVER |
| DCS-TAPE | 00000002 | SYSS\$IODEF | TFDRIVER |
| DTS-TU78 | 00000005 | SYSS\$IODEF | TFDRIVER |
| ERL\$DEVICEATTN | 8000CA97 | SYS | TFDRIVER |
| ERL\$DEVICEERR | 8000CA01 | SYS | TFDRIVER |
| ERL\$DEVICTMO | 8000CA05 | SYS | TFDRIVER |
| EXESGL_ABSTIM | 80002B38 | SYS | TFDRIVER |
| EXESIOPORK | 8000A044 | SYS | TFDRIVER |
| EXESONEPARM | 800094C9 | SYS | TFDRIVER |
| EXESSETMODE | 800096AC | SYS | TFDRIVER |
| EXES\$NDEVMSG | 80001A24 | SYS | TFDRIVER |
| EXESZEROPARM | 800094CF | SYS | TFDRIVER |
| IOC\$CANCELIO | 8000CD71 | SYS | TFDRIVER |
| IOC\$DIAGBUFILL | 8000CDCC | SYS | TFDRIVER |
| IOC\$LOADMBAMAP | 8000DB04 | SYS | TFDRIVER |
| IOC\$MNTPVER | 8000CF43 | SYS | TFDRIVER |
| IOC\$RELCHAN | 8000CDFB | SYS | TFDRIVER |
| IOC\$RELSCHAN | 8000CDF1 | SYS | TFDRIVER |
| IOC\$REQCOM | 8000CEB4 | SYS | TFDRIVER |
| IOC\$REQPCHANL | 8000CE5B | SYS | TFDRIVER |
| IOC\$REQSCHANL | 8000CE48 | SYS | TFDRIVER |
| IOC\$RETURN | 8000D355 | SYS | TFDRIVER |
| IOC\$WFIKPCH | 8000D356 | SYS | TFDRIVER |
| MMG\$GL_SPTBASE | 80003F3C | SYS | TFDRIVER |
| MSG\$_DEVOFFLIN | 00000005 | SYSS\$SSDEF | TFDRIVER |
| MSG\$_TM78MVER | 0000005A | SYSS\$SSDEF | TFDRIVER |
| NTSCHECK_ACCESS | 80009D7A | SYS | TFDRIVER |
| SYSSGL_OPRMBX | 800015D0 | SYS | TFDRIVER |
| SYSSK_VERSION | 48513258 | SYS | |
| TF\$DDT | 00000080-R | TFDRIVER | |
| TF\$INT | 000019C3-R | T\$DRIVER | |

+-----+
! Symbols By Value !
+-----+

Value

00000000 ATS_MBA
00000002 DCS_TAPE
00000005 DTS_TU78
0000005A MSGS_TM78MVER
00000080 R-TFSDBT
000019C3 R-TFSINT
48513258 SYSSK_VERSION
800015D0 SYSSGE_OPRMBX
80001A24 EXESSNDEVMMSG
80002B38 EXESGL_ABSTIM
80003F3C MMGSL_SPTBASE
80008B24 ACPSACCESS
80008B55 ACPSDEACCESS
80008BAB ACPSMODIFY
80008BB3 ACPSMOUNT
80008BD2 ACPSREADBLK
80008C11 ACPSWRITEBLK
800094C9 EXESONEPARM
800094CF EXESZEROPARM
800096AC EXESSETMODE
80009D7A MTSCHECK_ACCESS
8000A044 EXESIOPRK
8000CA01 ERL\$DEVICERR
8000CA05 ERL\$DEVICTMO
8000CA97 ERL\$DEVICEATTN
8000CD71 IOCSCANCELIO
8000CDCC IOCSDIAGBUFILE
8000CDF1 IOCSRELSCHAN
8000CDFB IOCSRELCHAN
8000CE48 IOCSREQSCHANL
8000CE58 IOCSREQPCHANL
8000CEB4 IOCSREQCOM
8000CF43 IOCSMNTVER
8000D355 IOCSRETURN
8000D356 IOCSWFIKPCH
8000DB04 IOCSLOADMBAMAP

Symbols...

MSG\$_DEVFLIN

Key for special characters above:

| | |
|---|---------------|
| * | - Undefined |
| U | - Universal |
| R | - Relocatable |
| X | - External |

Virtual memory allocated:

Stack size:

Image header virtual block limits:

Image binary virtual block limits:

Image name and identification:

Number of files:

Number of modules:

Number of program sections:

Number of global symbols:

Number of cross references:

Number of image sections:

Image type:

Map format:

Estimated map length:

00000000 00001BFF 00001C00 (7168. bytes, 14. pages)

0. pages

1. 1. (1. block)

0. 0. (0. blocks)

TFDRIVER V04-000

4.

4.

5.

36.

71.

1.

NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14909651

FULL WITH CROSS REFERENCE in file \$_\$255\$DUA28:[DRIVER.L1S]TFDRIVER.MAP;1

25. blocks

! Link Run Statistics !

Performance Indicators

| | Page Faults | CPU Time | Elapsed Time |
|----------------------------------------|-------------|-------------|--------------|
| Command processing: | 34 | 00:00:00.29 | 00:00:00.51 |
| Pass 1: | 63 | 00:00:01.50 | 00:00:12.26 |
| Allocation/Relocation: | 3 | 00:00:00.12 | 00:00:00.61 |
| Pass 2: | 17 | 00:00:00.44 | 00:00:02.81 |
| Map data after object module synopsis: | 1 | 00:00:00.30 | 00:00:00.43 |
| Symbol table output: | 0 | 00:00:00.07 | 00:00:00.54 |
| Total run values: | 118 | 00:00:02.72 | 00:00:17.16 |

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 352

of which 118 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1
with 2 extracted to resolve undefined symbols

5 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXES:TFDRIVER/CONTIGUOUS/MAP=MAPS:TFDRIVER/FULL/LIBS:DRIVER/INCLUDE=TFDRI
VER,EXSH:SYS.STB/SELECTIVE,SYSSINPUT/OPTION
BASE=0

0106 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

